INFICON

INFICON EDC Inc. *Quality Quartz Crystals and Oscillators*

EX 30
Series
MILITARY
Thru-Hole Crystal

Military QPL Series

CR- TYPE	SLASH SHEET	FREQUENCY RANGE (MHz)	MODE (Overtone)	LOAD (pF)	PACKAGE AVAILABILITY	TOLERANCE (±ppm)	TEMPERATURE RANGE (°C)
18	3	1.600 ~ 20.000	Fundamental	32	HC-36 / HC48	50	-55 ~ +105
19	4	1.600 ~ 20.000	Fundamental	Series	HC-36 / HC48	50	-55 ~ +105
56	34	50.000 ~ 125.000	5th	Series	HC-49 / HC-43	50	-55 ~ +105
59	37	50.000 ~ 125.000	5th	Series	HC-49 / HC-43	5	+80 ~ +90
60	38	5.000 ~ 20.000	Fundamental	Series	HC-49 / HC-43	50	-55 ~ +105
64	42	2.900 ~ 20.000	Fundamental	30	HC-49 / HC-43	50	-55 ~ +105
69	47	2.900 ~ 25.000	Fundamental	30	HC-49 / HC-43	20 / 30	-40 ~ +90 / -55 ~ +105
78	62	2.900 ~ 20.000	Fundamental	30	HC-50 / HC42	50	-55 ~ +105
79	63	2.900 ~ 20.000	Fundamental	Series	HC-50 / HC42	50	-55 ~ +105
80	57	50.000 ~ 125.000	5th	Series	HC-49 / HC-43	20 / 30	-40 ~ +90 / -55 ~ +105
82	59	50.000 ~ 125.000	5th	Series	HC-50 / HC42	50	-55 ~ +105
83	60	50.000 ~ 125.000	5th	Series	HC-50 / HC42	20 / 30	-40 ~ +90 / -55 ~ +105
97	72	8.000 ~ 10.000	Fundamental	32	HC-49 / HC-43	50	-40 ~ +85
101	103	7.000 ~ 20.000	Fundamental	30	HC-35	50	-55 ~ +105
106	82	10.500 ~ 11.500	Fundamental	32	HC-49 / HC-43	50	-55 ~ +105
109	85	10.000 ~ 11.500	Fundamental	32	HC-50 / HC42	20	+80 ~ +90
112	88	5.000 ~ 20.000	Fundamental	Series	HC-49 / HC-43	25	-55 ~ +105
129	110	9.000 ~ 12.000	Fundamental	32	HC-49 / HC-43	35	-55 ~ +90
134	113	18.000 ~ 31.000	Fundamental	32	HC-49 / HC-43	5	+80 ~ +90
135	114	10.000 ~ 12.000	Fundamental	32	HC-50 / HC42	1	+80 ~ +90
136	115	8.000 ~ 10.000	Fundamental	32	HC-49 / HC-43	25 / 50	-10 ~ +80 / -40 ~ +90
137	116	8.500 ~ 19.000	Fundamental	32	HC-49 / HC-43	25	+20 ~ +70
139	118	20.000 ~ 22.000	Fundamental	30	HC-49 / HC-43	50	-55 ~ +105
141	122	50.000 ~ 90.000	5th	Series	HC-49 / HC-43	25 / 45	-30 ~ +55 / -55 ~ +65
157	137	1.600 ~ 20.000	Fundamental	Series	HC-51 / HC-47	50	-55 ~ +105

This drawing & information are the property of INFICON EDC Inc. and shall not be reproduced, copied or used in any manner without the sole permission of INFICON EDC Inc. All specification subject to change. Please contact factory for current specifications (Rev. 05/08)